
pycontour Documentation

Release 1.4.0

Pingjun Chen

Sep 20, 2021

1	Representation Transform	3
1.1	swap_wh	3
1.2	np_arr_to_point_list	3
1.3	point_list_to_np_arr	3
1.4	cv_cnt_to_np_arr	3
1.5	np_arr_to_cv_cnt	4
1.6	np_arr_to_poly	4
1.7	point_list_to_poly	4
1.8	bbox_to_poly	4
1.9	poly_to_np_arr	4
2	Contour Transform	5
2.1	shift_cnt	5
2.2	rotate_cnt	5
2.3	smooth_cnt	5
3	Contour	7
3.1	get_cnt_area	7
3.2	get_cnt_aspect_ratio	7
3.3	get_cnt_solidity	7
4	Feature	9
4.1	ZernikeMoments	9
5	Polygon	11
5.1	poly_to_valid	11
5.2	get_poly_area	11
5.3	get_poly_bounds	11
5.4	get_poly_hw	11
6	Relation	13
6.1	contour_intersects	13
6.2	construct_intersection_polygon	13
6.3	contour_contains	13
6.4	cnt_dice_ratio	13
6.5	cnt_jaccard_index	14
6.6	point_in_contour	14

7	Image	15
7.1	build_cnt_mask	15
7.2	cnt_mask_img	15
7.3	cnt_mask_sub_img	15
8	About pycontour	17

The documentation for `pycontour` is mainly organized by sub-modules.

- *User Documentation*
- *About pycontour*

1.1 swap_wh

```
def swap_wh(np_arr): """ Swap row of width and row of height.
    """
```

1.2 np_arr_to_point_list

```
def np_arr_to_point_list(np_arr): """ Convert 2d numpy array to list of points.
    """
```

1.3 point_list_to_np_arr

```
def point_list_to_np_arr(point_list): """ Convert list of point coordinates to numpy 2d array.
    """
```

1.4 cv_cnt_to_np_arr

```
def cv_cnt_to_np_arr(cv_cnt): """ Convert cv2 contour to numpy 2d array ([0]-h, [1]-w).
    """
```

1.5 np_arr_to_cv_cnt

```
def np_arr_to_cv_cnt(np_arr): """ Convert numpy 2d array ([0]-h, [1]-w) to cv2 contour.  
    """
```

1.6 np_arr_to_poly

```
def np_arr_to_poly(np_arr): """ Using numpy 2d array ([0]-h, [1]-w) to construct polygon.  
    """
```

1.7 point_list_to_poly

```
def point_list_to_poly(point_list): """ Using point list to construct polygon.  
    """
```

1.8 bbox_to_poly

```
def bbox_to_poly(min_w, min_h, max_w, max_h): """ Using bounding box to construct polygon.  
    """
```

1.9 poly_to_np_arr

```
def poly_to_np_arr(poly): """ Convert shapely Polygon to numpy 2d array ([0]-h, [1]-w).  
    """
```


2.1 shift_cnt

```
def shift_cnt(np_arr, shift_h=None, shift_w=None):: """ Shift the position of contour.
    """
```

2.2 rotate_cnt

```
def rotate_cnt(np_arr, angle): """ Rotate contour clockwise by radian angle around contour center
    """
```

2.3 smooth_cnt

```
def smooth_cnt(np_arr, sigma=5): """ Smooth the contour
    """
```


3.1 get_cnt_area

```
def get_cnt_area(cnt): """ Calcualte the number of pixels contour covered.  
    """
```

3.2 get_cnt_aspect_ratio

```
def get_cnt_aspect_ratio(cnt): """ Calcualte the aspect ratio of contour.  
    """
```

3.3 get_cnt_solidity

```
def get_cnt_solidity(cnt): """ Calcualte the solidity of contour.  
    """
```


4.1 ZernikeMoments

```
class ZernikeMoments: """ Calculate Zernike moments for contour
    """
```


5.1 poly_to_valid

```
def poly_to_valid(poly): """ Adjust polygon to be valid if not.
    """
```

5.2 get_poly_area

```
def get_poly_area(poly): """ Calcualte the number of pixels the polygon covered.
    """
```

5.3 get_poly_bounds

```
def get_poly_bounds(poly): """ Find the bounds of the Polygon.
    """
```

5.4 get_poly_hw

```
def get_poly_hw(poly): """ Find height and width of the polygon.
    """
```


6.1 contour_intersects

```
def contour_intersects(np_arr1, np_arr2): """ Determine two contours are intersected or not.  
    """
```

6.2 construct_intersection_polygon

```
def construct_intersection_polygon(np_arr1, np_arr2): """ Construct polygon from the intersection part of two  
    contours.  
    """
```

6.3 contour_contains

```
def contour_contains(np_arr1, np_arr2): """ Determine if contour of np_arr1 contains contour of np_arr2.  
    """
```

6.4 cnt_dice_ratio

```
def cnt_dice_ratio(cnt1, cnt2, smooth=0.01): """ Calculate the dice ratio between two contours.  
    """
```

6.5 cnt_jaccard_index

```
def cnt_jaccard_index(cnt1, cnt2, smooth=0.01): """ Calculate the jaccard index between two contours.
    """
```

6.6 point_in_contour

```
def point_in_contour(np_arr, py, px): """ Determine point inside contour or not.
    """
```

7.1 build_cnt_mask

```
def build_cnt_mask(np_arr): """ Build an exterior rectangle mask based on contour
    """
```

7.2 cnt_mask_img

```
def cnt_mask_img(img, np_arr): """ Mask image by contour
    """
```

7.3 cnt_mask_sub_img

```
def cnt_mask_sub_img(img, np_arr): """ Mask sub image using contour
    """
```


CHAPTER 8

About pycontour

`pycontour` is a python package for contour operation utilities.

Right now, this package mainly contains contour format transformation among OpenCV contour, Shapely polygon, and normal numpy array representation. The package also contains contour properties calculation utilities.